

| | | | | | |
|--|---|--|--|--|---------------------------|
| Date | NORADrenaline – central IVI | | 120 micrograms/mL | | Given by Checked |
| | Starting rate: 0.1 mcg/kg/min <input type="checkbox"/> 8 mcg/min (Adult 60-100 kg) <input type="checkbox"/> _____ *mcg/min (*IBW[kg] x 0.1 = mcg/min) | | Titration target (mmHg) <input type="checkbox"/> MAP 70 – 100 <input type="checkbox"/> MAP _____ – _____ | | |
| Dose range: 0 – 30 mcg/min (15 mL/h soft limit) | | | Prescriber signature | | Stop: sign, date and time |
| See CUH IV Guidelines for reconstitution, administration and monitoring | | | | | |

| | | | | | |
|--|---|--|--|--|---------------------------|
| Date | Adrenaline – central IVI | | 120 micrograms/mL | | Given by Checked |
| | Starting rate: 0.1 mcg/kg/min <input type="checkbox"/> 8 mcg/min (Adult 60-100 kg) <input type="checkbox"/> _____ *mcg/min (*IBW[kg] x 0.1 = mcg/min) | | Titration target (mmHg) <input type="checkbox"/> MAP 70 – 100 <input type="checkbox"/> MAP _____ – _____ | | |
| Dose range: 0 – 30 mcg/min (15 mL/h soft limit) | | | Prescriber signature | | Stop: sign, date and time |
| See CUH IV Guidelines for reconstitution, administration and monitoring | | | | | |