

## Solvito N<sup>®</sup>

|                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Form</b>                           | Dry powder vial<br><br>Solvito N <sup>®</sup> contains thiamine, riboflavin, nicotinamide, pyridoxine, pantothenic acid, biotin, folic acid, cyanocobalamin, vitamin C.                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Reconstitution</b>                 | Dissolve with 10ml of water for injection and shake vigorously<br><b>Dilute further before administration.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Administration Method</b>          | <b><u>Peripheral or central IV route</u></b><br><br>Add reconstituted solution to 100mL Glucose 5% and infuse over a minimum period of 2-3 hours.                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Compatibility &amp; Stability:</b> | Glucose 5%<br>(See special notes for compatibility with sodium chloride 0.9%)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Special Notes</b>                  | <div style="border: 1px solid blue; padding: 5px; margin-bottom: 10px;"> <p style="color: blue; margin: 0;"><b>For obstetric patients refer to CUMH guidelines or the Pharmacy Department</b></p> </div> <ul style="list-style-type: none"> <li>Solvito N<sup>®</sup> is normally administered with Parenteral Nutrition.</li> <li>For patients prescribed Additrace N<sup>®</sup>, Solvito N<sup>®</sup>, and Vitlipid N Adult<sup>®</sup>, or a combination of these, they can be infused together in 100mls glucose 5% or sodium chloride 0.9% over 2-3 hours.</li> </ul> |

**Information provided relates to Solvito N<sup>®</sup> manufactured by Fresenius Kabi.**

*This information has been summarised to act as a guide for those administering IV medication. The monograph should be used in conjunction with the drug data sheet and BNF for information on dose, adverse effects, cautions and contra-indications. Further information is available from Pharmacy on 22146 or 22542*