

Vitlipid N Adult®

Form	10mL ampoule. Concentrate for emulsion for infusion Each vial contains Vitamin A, Vitamin D ₂ , Vitamin E and Vitamin K ₁
Reconstitution	Already in solution. Dilute further before administration.
Compatibility & Stability	Sodium Chloride 0.9% Glucose 5%
Administration	<u>IV infusion</u> Peripheral or central: Add 10mL of Vitlipid N Adult® to at least 100mL of compatible fluid and administer over a minimum of 2 - 3 hours.
Additional Information	<ul style="list-style-type: none"> • Vitlipid N Adult® is normally administered with Parenteral Nutrition. • For patients prescribed Additrace®, Solivito N®, and Vitlipid N Adult®, or a combination of these, they can be infused together in 100mL glucose 5% or sodium chloride 0.9% over 2-3 hours. • Contraindications: Hypersensitivity to the active substances or to any of the excipients of Vitlipid N Adult or to egg, soya or peanut protein.

Information provided relates to Vitlipid N® manufactured by Fresenius Kabi

This information has been summarised to act as a guide for those administering IV medication. The monograph should be used in conjunction with the drug data sheet and BNF for information on dose, adverse effects, cautions and contra-indications. Further information is available from Pharmacy on 22146 or 22542